



**BORTECH**  
DIS TICARET LIMITED SIRKETI

**DIETHYLENE GLYCOL (DEG)**

Test	Unit	Standard	Reference
Purity	%	99.8 min.	ASTM E-202
Monoethylene Glycol	%	0.05 max.	ASTM E-202
Triethylene Glycol	%	0.05 max.	ASTM E-202
Water content	%	0.05 max.	ASTM E-202
Acidity as acetic acid	Ppm	50 max.	ASTM D-1613
Ash Content	Ppm	50 max.	ASTM D-254/A
Specific Gravity (20/20 °C)		1.1175 - 1.1195	ASTM D-891
Color	Pt-co	10 max.	ASTM D-1209
Distillation@760 mmHg			
IBP	°C	242 min.	ASTM D-1078
DP	°C	250 max.	ASTM D-1078